

SOT313-2

LQFP48; Reel pack; SMD, 13"
 Q1/T1 Standard product orientation
 Orderable part number ending ,118 or J
 Ordering code (12NC) ending 118

Rev. 1 — 15 April 2013

Packing information

1. Packing method





Table 1. Packing information

Reel dimensions d x w (mm)	SPQ/PQ (pcs)	Reels per box	Outer box dimensions l x w x h (mm)
330 x 16	2000	1	341 x 338 x 30



LQFP48; Reel pack; SMD, 13"
Q1/T1 Standard product orientation
Orderable part number ending ,118 or J
Ordering code (12NC) ending 118

2. Product orientation



3. Carrier tape dimensions




Table 2. Carrier tape dimensions
In accordance with IEC 60286-3.

A ₀ (mm)	B ₀ (mm)	K ₀ (mm)	T (mm)	P ₁ (mm)	W (mm)
10	10	2.05	-	12	16

LQFP48; Reel pack; SMD, 13"
Q1/T1 Standard product orientation
Orderable part number ending ,118 or J
Ordering code (12NC) ending 118

4. Reel dimensions




Fig 4. Schematic view of reel

Table 3. Reel dimensions
In accordance with IEC 60286-3.

D (mm)	W (mm)
330	16



Box barcode label l x w (mm)	Reel barcode label l x w (mm)
100 x 75	35 x 75